

PART # 251000**CFIS TORQUE BUSTER PENETRATING OIL**

Penetrates, Rust Corrosion, Loosens Frozen Fasteners, Displaces Moisture, Removes Grease & Oil Build-Up, Removes Rust and Corrosion, Creeping Formula.

ATTACKS RUST LIKE PEROXIDE ON A CUT



DANGER EXTREMELY FLAMMABLE

15.75 oz

PART # 251045**NUTCRACKER PENETRATING OIL**

Loosens Rusted Bolts and Parts, Fast Acting Penetrating Oil.



DANGER EXTREMELY FLAMMABLE

11 oz

PART # 251015**BPL BIO-PENETRATING LUBRICANT**

Bio-Penetrating Lubricant, Biodegradable, Environmentally Friendly, Lubricant, Corrosion Inhibitor. Excellent air tool lubricant.



MADE WITH VEGETABLE OILS

11 oz

PART # 251050**DEEP CREEP PENETRATING LUBRICANT**

Sea Foam Multi-Use Penetrating Lubricant, Powers Through Rust – Varnish – Carbon, 100% Pure Petroleum



DANGER EXTREMELY FLAMMABLE

12 oz

PART # 251017**BPL BIO-BLAST PENETRATING**

Fast Acting, Light Film, Bio-Penetrating Lubricant, Biodegradable, Environmentally Friendly, Lubricant, Corrosion Inhibitor. Excellent air tool lubricant.



MADE WITH VEGETABLE OILS

11 oz

PART # 251070**WD 40 PENETRATING OIL**

Penetrates, Stops Squeaks, Cleans and Protects, Loosens Rusted Parts, Frees Sticky Mechanisms, Drives Out Moisture.



DANGER EXTREMELY FLAMMABLE

11 oz

PART # 251040**PB BLASTER PENETRATING OIL**

Penetrates, Rust Corrosion, Loosens Frozen Fasteners, Removes Rust and Corrosion, Creeping Formula.



DANGER EXTREMELY FLAMMABLE

11 oz

PART # 251160**CFIS SHOP SOLVENT (BRAKE CLEANER)**

Powerful Solvent, Instantly Degreases, Removes Oils and Contaminants, Leaves No Residue, Cleaner Degreaser. 45% VOC



DANGER EXTREMELY FLAMMABLE

12 oz

PART # 251162

MASTER BRAKE CLEANER

Powerful Solvent, Instantly Degreases, Removes Oils and Contaminants, Leaves No Residue, Cleaner Degreaser.
Low VOC Formula



DANGER EXTREMELY FLAMMABLE

15 oz

PART # 251200

ENGINE CLEANER

Removes Grease and Grime Fast, Cleans Engines, Mowers, and Farm Machinery.



DANGER EXTREMELY FLAMMABLE

16 oz

PART # 251165

JOHNSEN'S BRAKE CLEANER

Powerful Solvent, Instantly Degreases, Removes Oils and Contaminants, Leaves No Residue, Cleaner Degreaser.
Low VOC Formula



DANGER EXTREMELY FLAMMABLE

5 gal

PART # 251220

GASKET REMOVER

Industrial Strength Stripper, Dissolves Tar and Asphalt, Removes Gaskets and Contact Cement from Engine Blocks



DANGER EXTREMELY FLAMMABLE

18 oz

PART # 251170

MASTER PARTS WASHER FLUID

All Purpose Parts Washer Cleaner



DANGER EXTREMELY FLAMMABLE

5 gal

PART # 251240

GRAFFITI REMOVER

Paint Stripper, Gasket Remover



DANGER EXTREMELY FLAMMABLE

13 oz

PART # 251180

CARB AND CHOKE CLEANER

Power Spray, Cleans PVC Valve and Choke, Cleans Oxygen Sensor and Catalytic Safe.



DANGER EXTREMELY FLAMMABLE

16.25 oz

PART # 251260

CFIS GLASS BLASTER

Glass cleaner, Foam On – Wipe Off, Cleans, Restores Shine. Non-Ammoniated Formula



CONTENTS UNDER PRESSURE

19 oz

PART # 251270

DE-ICER

Melts Ice Fast, Works on Windows, Locks, Wiper Blades



DANGER EXTREMELY FLAMMABLE

11.5 oz

PART # 251360

BATTERY CLEANER WITH INDICATOR

Eliminates Dirt Oil, Corrosions, Acid From Cell Tops, Terminals, Castings, Frames, Cables, and Connectors



CONTENTS UNDER PRESSURE

18 oz

PART # 251280

CFIS CITRUS SOLVENT/DEGREASER

Powerful Citrus Based Cleaner Degreaser, Cleans Metal Parts, Electric Motors and Equipment.

Non-Chlorinated



CONTENTS UNDER PRESSURE

14 oz

PART # 251380

BATTERY PROTECTOR & SEALER

Cars, Trucks, Boats, Construction Equipment, Bonds to Battery Surface, Will Stay Flexible, Will Not Peel Off



DANGER EXTREMELY FLAMMABLE

11 oz

PART # 251320

MULTI PURPOSE DISINFECTANT CLEANER

Germicidal, Fungicidal, Disinfectant, Hard Surfaces, Non Porous Surface.



KEEP OUT OF REACH OF CHILDREN

20 oz

PART # 251400

STARTING FLUID PROFESSIONAL FORMULA

Twice The Starting Power, Has Upper Cylinder Lubricant



DANGER EXTREMELY FLAMMABLE

11 oz

PART # 251340

METAL PARTS PROTECTOR

Heavy Coat, Long Term Rust and Corrosion Protector Protects for Up To 2 Years, Sets up in 2 to 3 Hours



CONTENTS UNDER PRESSURE

13 oz

PART # 251405

STARTING FLUID STANDARD FORMULA

Starting Power, Has Twice The Upper Cylinder Lubricant, For Use On All Gasoline and Diesel Engines



DANGER EXTREMELY FLAMMABLE

11 oz

PART # 251420**CUTTING AND TAPPING FLUID**

Reduces Waste, Applied Directly to Work Area, Clings to Curved or Beveled Surface



DANGER EXTREMELY FLAMMABLE

18 oz

PART # 251500**CHAIN AND CABLE LUBRICANT**

Lubricant and Protector, Penetrates, Lubricates, Forms Protective Barrier, Contains Moly



DANGER EXTREMELY FLAMMABLE

16 oz

PART # 251455**CFIS CLEAR PENETRATING GREASE**

Delayed Viscosity, Clear Penetrating Grease, Contains PTFE, Withstands Extreme Pressure, Resist Water Wash Out, Prevents Rust and Corrosion, VOC compliant



DANGER EXTREMELY FLAMMABLE

13 oz

PART # 251520**SILICONE LUBRICANT (INDUSTRIAL)**

Heavy Duty, Universal Dry Film Lubricant, All Purpose Release Agent, Retards Rust and Corrosion, Odorless and Colorless.



DANGER EXTREMELY FLAMMABLE

9.75 oz

PART # 251460**RED GREASE BEARING LUBRICANT**

Sprays Like a Liquid, Dries Like a Grease, Prevents Rust, Water Washout Resistant.



DANGER EXTREMELY FLAMMABLE

11 oz

PART # 251540**WHITE LITHIUM GREASE**

All Weather, All Purpose, Can Be Used On Bearings, Slides, Rollers, Chains, Small Gears, Linkages, Hinges, Cranks, Sprockets



CONTENTS UNDER PRESSURE

12 oz

PART # 251480**OPEN GEAR LUBE**

Resists Rust and Corrosion, Extreme Pressure Capacity, Use Underwater, Contains Asphalt.



DANGER EXTREMELY FLAMMABLE

14 oz

PART # 251550**DRY MOLY-SPRAY LUBE**

A General Purpose, Easy to Apply, Dry Lubricant, Reduces Friction, Resist Wear, Resist Abrasion, Provides High Lubricity Even Under Extreme Pressures



DANGER EXTREMELY FLAMMABLE

14 oz

PART # 251560**BELT DRESSING**

Prevents Slipping, Eliminates Down Time, Lengthens Life of All Belts, Works on Leather and Fabrics, Stays Pliable, Prevents Shrinkage, Will Not Collect Dirt.



DANGER EXTREMELY FLAMMABLE

12 oz

PART # 251588**ANTI-RUST CONVERTOR**

Stops Corrosion, Eliminates Rust and Prevents Future Rusting, Seals and Converts Rusted Surface into Paintable Area



DANGER EXTREMELY FLAMMABLE

11 oz

PART # 251570**BRIGHT ZINC GALVANIZING**

Stops Rust and Corrosion on All Iron and Steel Surfaces, Easy to Apply, Look of Hot Dipped Galvanizing, Metal, Marine, Oil and Pipe Line Equipment



DANGER EXTREMELY FLAMMABLE

13 oz

PART # 251600**WASP, HORNET, YELLOW JACKET SPRAY**

Kills Wasp, Yellow Jackets and Hornets on Contact, Rapid Knockdown Power, Reaches more that 20 Foot, Dielectric Breakdown.



KEEP OUT OF REACH OF CHILDREN

13 oz

PART # 251580**RUBBERIZED UNDERCOATING**

Prevents Rust and Decreases Road Noise, Stays Flexible, Will Not Crack or Chip, Can be Painted, Rubberized



DANGER EXTREMELY FLAMMABLE

18 oz

PART # 251640**GENERAL TRIM ADHESIVE**

Fast Drying, Heat and Water Resistant, Bonds Many Materials, Non-Staining, Adjustable Spray Pattern, Minimal Overspray, No Shaking Required.



DANGER EXTREMELY FLAMMABLE

17 oz

PART # 251582**RUBBERIZED UNDERCOATING**

Prevents Rust and Decreases Road Noise, Stays Flexible, Will Not Crack or Chip, Can be Painted, Rubberized, Fast Drying.



DANGER EXTREMELY FLAMMABLE

18 oz

PART # 251660**TIRE FOAM CLEANER.SHINE**

Foaming Tire cleaner, Shines, Remove Excess Dirt, Apply Wet or Dry, No Wiping Required.



CONTENTS UNDER PRESSURE

15 oz

PART # 251700
ANTI-SEIZE SPRAY

Excellent Thread Protection, Eases Assembly and Disassembly, Withstands Extreme Pressures and Temperatures, Spray in Any Position.



DANGER EXTREMELY FLAMMABLE 15 oz

PART # 251702
ANTI-SEIZE SPRAY

Excellent Thread Protection, Eases Assembly and Disassembly, Withstands Extreme Pressures and Temperatures, Spray in Any Position. High Concentration of Anti-Seize, Superior Formula



DANGER EXTREMELY FLAMMABLE 12.5 oz

PART # 252050
LUBE-CUT THREAD CUTTING FLUID

Oil Resists Run-Off and Breakdown, Prevents Chip Welding, Eliminates Dangerous and Costly Tool Breakage, Contains Anti-Bonding Agent, Increases Tool Life, Stays Cold Under High Loads, Decreases Friction for Faster More Effective Cutting.



HARMFUL OR FATAL IF SWALLOWED 1 pt

PART # 252120
AIR TOOL CONDITIONER

Cleans Internal Parts of The Tool, Restores Power and RPM's, Provides a Lasting Coat of Lubricant to Protect Tool From Wear and Rust, Prolongs Tool Life, An Effective Antifreeze, Protects Tools From Freezing up to -25f



DANGER EXTREMELY FLAMMABLE 11 oz

PART # 252140
AIR TOOL CONDITIONER

Cleans Internal Parts of The Tool, Restores Power and RPM's, Provides a Lasting Coat of Lubricant to Protect Tool From Wear and Rust, Prolongs Tool Life, An Effective Antifreeze, Protects Tools From Freezing up to -25f



HARMFUL OR FATAL IF SWALLOWED 1 qt

PART # 252158 4oz **PART # 252160 32oz**
MARVEL AIR TOOL OIL

Lubricates and Protects, Removes Deposits, Prevents Rust, Longer Tool Life, Improves Tool Performance.



HARMFUL OR FATAL IF SWALLOWED 4 oz / 32 oz

PART # 252220
COOL GEL HEAT PROTECTOR

Heat Barrier Spray, Protects Heat Sensitive Components, No Drip Formula, Non-Corrosive, Non-Toxic, No Cleanup, Non-Staining



HARMFUL OR FATAL IF SWALLOWED 32 oz

PART # 252540**RED GREASE**

Exceptional resistance to acids, water, salt-spray, weather, dirt, dust, steam and oxidation, Exceptional adhesive-cohesive and anti wear properties, Reduces shock and noise, Excellent outdoor, extreme pressure, high heat and Water resistant, No Pound-Out.



HARMFUL OR FATAL IF SWALLOWED

14.5 oz

PART # 252560**LYTHIUM GREASE**

Resists Water Washout, Prevents Rust and Corrosion, Clings to Metal, White Color Permits Quick Discovery Of Contaminants, Buttery Texture Allows Pumping Through Central Lube Systems.



HARMFUL OR FATAL IF SWALLOWED

14.5 oz

PART # 252740**105 LUBRIPLATE ASSEMBLY LUBE**

Smooth Anti-Seize Engine Coating, Provides Lubrication During Initial Start-Up, Protects Engine Parts fro Rust, Lubricates Hinges, Locks, and Latches.



HARMFUL OR FATAL IF SWALLOWED

10 oz