



Empty Index

Part #	TYPE
330-003	29 PC EMPTY
330-005	1-60 EMPTY
330-007	A-Z EMPTY



Starter Set

Part #	TYPE
330-025	8 PC MAGNUM SET

INCLUDES: 1 EACH OF DRILLS:
 1/8, 3/16, 7/32, 1/4,
 5/16, 3/8, 7/16, 1/2



Empty Index

Part #	TYPE
330-015	S&D EMPTY



Drill Set

Part #	TYPE
330-030	1-60 PC MAGNUM SET
330-032	A-Z MAGNUM SET
330-040	29 PC MAGNUM SET



341: Magna-Cut-Plus

Magna-Cut-Plus Premium Drills Jobber length 135*



Magna-Cut-Plus Super Premium 3 Flats on Shank Special Hi-Molybdenum tool steel.

135° split point for fast penetration and accurate starting without center punch.
Precision ground point, flutes, body, clearance and drill diameter for the ultimate in accuracy and performance.

Part #	DRILL DIAM.	DECIMAL	OVER ALL
341-000	1/16	.0625	1-7/8
341-001	5/64	.0781	2
341-002	3/32	.0938	2-1/4
341-003	7/64	.1094	2-3/8
341-004	1/8	.1250	2-1/2
341-005	9/64	.1406	2-5/8
341-006	5/32	.1562	2-3/4
341-007	11/64	.1719	2-7/8
341-008	3/16	.1875	3
341-009	13/64	.2031	3-1/8
341-010	7/32	.2188	3-1/4
341-011	15/64	.2344	3-3/8
341-012	1/4	.2500	3-1/2
341-013	17/64	.2656	3-5/8
341-014	9/32	.2812	3-3/4
341-015	19/64	.2969	3-7/8
341-016	5/16	.3125	4
341-017	21/64	.3281	4-1/16
341-018	11/32	.3438	4-1/8
341-019	23/64	.3594	4-3/16
341-020	3/8	.3750	4-1/4
341-021	25/64	.3906	4-5/16
341-022	13/32	.4062	4-3/8
341-023	27/64	.4219	4-7/16
341-024	7/16	.4375	4-1/2
341-025	29/64	.4531	4-5/8
341-026	15/32	.4688	4-3/4
341-027	31/64	.4844	4-7/8
341-028	1/2	.5000	5



Part #	SIZE	QTY
341-030	1/2" Drill - 3/8" SHANK 6" LONG	EA

Magna-Cut-Plus Wire Drills Jobber Length 135*



This 135° point, high speed steel drill performs well in a wide variety of ferrous metal drilling application.

The black surface treatment prevents chip welding and increases abrasion resistance.

Part #	SIZE	FLUTE LENGTH	LGTH
341-101	1	2-5/8	3-7/8
341-102	2	2-5/8	3-7/8
341-103	3	2-1/2	3-7/8
341-104	4	2-1/2	3-7/8
341-105	5	2-1/2	3-7/8
341-106	6	2-1/2	3-7/8
341-107	7	2-7/16	3-7/8
341-108	8	2-7/16	3-7/8
341-109	9	2-7/16	3-7/8
341-110	10	2-7/16	3-7/8
341-111	11	2-5/16	3-7/8
341-112	12	2-5/16	3-7/8
341-113	13	2-5/16	3-7/8
341-114	14	2-3/16	3-1/2
341-115	15	2-3/16	3-1/2
341-116	16	2-3/16	3-1/2
341-117	17	2-3/16	3-1/2
341-118	18	2-1/8	3-1/2
341-119	19	2-1/8	3-1/2
341-120	20	2-1/8	3-1/2
341-121	21	2-1/8	3-1/2
341-122	22	2	3-1/2
341-123	23	2	3-1/2
341-124	24	2	3-1/2
341-125	25	1-7/8	3-1/2
341-126	26	1-7/8	3-1/2
341-127	27	1-7/8	3-1/2
341-128	28	1-3/4	3-1/2
341-129	29	1-3/4	3-1/2
341-130	30	1-5/8	3-1/2

Part #	SIZE	FLUTE LENGTH	LGTH
341-131	31	1-5/8	2-3/4
341-132	32	1-5/8	2-3/4
341-133	33	1-1/2	2-5/8
341-134	34	1-1/2	2-5/8
341-135	35	1-1/2	2-5/8
341-136	36	1-7/16	2-1/2
341-137	37	1-7/16	2-1/2
341-138	38	1-7/16	2-1/2
341-139	39	1-3/8	2-3/8
341-140	40	1-3/8	2-3/8
341-141	41	1-3/8	2-3/8
341-142	42	1-1/4	2-1/4
341-143	43	1-1/4	2-1/4
341-144	44	1-1/8	2-1/4
341-145	45	1-1/8	2-1/4
341-146	46	1-1/8	2-1/4
341-147	47	1	2
341-148	48	1	2
341-149	49	1	2
341-150	50	1	2
341-151	51	1	2
341-152	52	7/8	1-7/8
341-153	53	7/8	1-7/8
341-154	54	7/8	1-7/8
341-155	55	7/8	1-7/8
341-156	56	3/4	1-3/4
341-157	57	3/4	1-3/4
341-158	58	11/16	1-5/8
341-159	59	11/16	1-5/8
341-160	60	11/16	1-5/8

Magna-Cut-Plus Letter Drills Jobber length 135*



This 135° point, high speed steel drill performs well in a wide variety of ferrous metal drilling application.

The black surface treatment prevents chip welding and increases abrasion resistance.

Part #	SIZE	FLUTE LENGTH	OVERALL LENGTH
341-300	A	2-5/8	3-7/8
341-301	B	2-3/4	4
341-302	C	2-3/4	4
341-303	D	2-3/4	4
341-304	E	2-3/4	4
341-305	F	2-7/8	4-1/8
341-306	G	2-7/8	4-1/8
341-307	H	2-7/8	4-1/8
341-308	I	2-7/8	4-1/8
341-309	J	2-7/8	4-1/8
341-310	K	2-15/16	4-1/4
341-311	L	2-15/16	4-1/4
341-312	M	3-1/16	4-3/8
341-313	N	3-1/16	4-3/8
341-314	O	3-1/16	4-3/8
341-315	P	3-5/16	4-5/8
341-316	Q	3-7/16	4-3/4
341-317	R	3-7/16	4-3/4
341-318	S	3-1/2	4-7/8
341-319	T	3-1/2	4-7/8
341-320	U	3-5/8	5
341-321	V	3-5/8	5
341-322	W	3-3/4	5-1/8
341-323	X	3-3/4	5-1/8
341-324	Y	3-7/8	5-1/4
341-325	Z	3-7/8	5-1/4

Aircraft Ext Drills



Part #	DRILL DIAM.	OVERALL LENGTH	FLUTE LENGTH
341-910	3/16	12"	2-1/4
341-914	1/4	12"	2-1/2
341-918	5/16	12"	3-1/8
341-922	3/8	12"	3-3/4
341-926	1/2	12"	4-1/2

Stubby Twin End Drills



Part #	DRILL DIAM.	OVERALL LENGTH	LENGTH OF TWIST
342-130	1/8	1-7/8	7/8
342-140	5/32	2-1/16	1
342-150	3/16	2-3/16	1-1/8
342-160	1/4	2-1/2	1-3/8

S & D Magna-Cut-Plus Drills Silver & Deming 135*



Special **Hi-Molybdenum** tool steel.

135° split point for fast penetration and accurate starting without center punch. Sizes larger than 3/4" diameter have 118° split point. Precision ground point, flute, body, clearance, and drill diameter for the ultimate in accuracy and performance. Body and clearance are gold surface treated for maximum lubricity. Space age nitro-carburized steel withstands substantially higher drilling temperatures while maintaining sharpness. Recommended for use in work hardening grades of stainless steel and other hard metal drilling applications.

Part #	DRILL DIAM.		OVER ALL
342-222	33/64	1/2	6"
342-226	17/32	1/2	6"
342-228	35/64	1/2	6"
342-230	9/16	1/2	6"
342-232	37/64	1/2	6"
342-233	19/32	1/2	6"
342-235	5/8	1/2	6"
342-238	21/32	1/2	6"
342-242	11/16	1/2	6"
342-244	23/32	1/2	6"
342-246	47/64	1/2	6"
342-246	3/4	1/2	6"
342-248	25/32	1/2	6"

Part #	DRILL DIAM.		OVER ALL
342-250	51/64	1/2	6"
342-253	13/16	1/2	6"
342-254	53/64	1/2	6"
342-256	27/32	1/2	6"
342-258	7/8	1/2	6"
342-264	15/16	1/2	6"
342-269	1"	1/2	6"
342-271	1-1/32	1/2	6"
342-273	1-1/16	1/2	6"
342-275	1-1/8	1/2	6"
342-280	1-3/16	1/2	6"
342-284	1-1/4	1/2	6"

S & D Magna-Cut-Plus 8 PC Set

9/16, 5/8, 11/16, 3/4
13/16, 7/8, 15/16, 1"

Part #	TYPE
342-295	MAGNUM



Morse Taper Drill Bits



Part #	SIZE	QTY
343-040	9/16	Ea
343-042	5/8	Ea
343-044	13/16	Ea
343-047	7/8	Ea
343-050	1"	Ea

Premium Rapid Reamer



DRILLS TRUCK FRAMES IN MINUTES INSTEAD OF HOURS

- Reduces time, drill breakage, extreme pressure required on large diameter drills.
- Reamers start using a small pilot hole.

Part #	SIZE	SHANK SIZE	OVERALL LENGTH
345-012	7/16	7/16	5-3/8
345-014	1/2	1/2	5-7/8
345-018	5/8	1/2	6-1/2
345-024	3/4	1/2	6-3/4
345-030	7/8	1/2	7
345-034	1"	1/2	7-1/2

Magna-Cut-Plus Colbalt Drills Mechanic's length 135*



Superior Cobalt High Speed Steel - DIN 338

Gold surface treated for maximum lubricity. Heavy duty construction, 135° split point, no center punch needed - will not walk. Gyrodial Torsion flute and land construction yields exceptional performance in deep hole drilling applications. Recommended for a wide range of steels, castings and other hard metal drilling applications.

Hole Hog Reamer



4-Flute Core Drill - Super Premium 1/2" Shank - 3 Flats on Shank Special Hi-Molybdenum tool steel, gold surface treated body and clearance for maximum lubricity. Close tolerance construction Exclusively designed for enlarging existing holes. These core drills may replace tapered reamers in many applications

Part #	DRILL DIAM.	DECI M	OVER ALL
344-000	1/16	.0625	1-7/8
344-001	5/64	.0781	2
344-002	3/32	.0938	2-1/4
344-003	7/64	.1094	2-5/8
344-004	1/8	.1250	2-3/4
344-005	9/64	.1406	2-7/8
344-006	5/32	.1562	3-1/8
344-007	11/64	.1719	3-1/4
344-008	3/16	.1875	3-1/2
344-009	13/64	.2031	3-5/8
344-010	7/32	.2188	3-3/4
344-011	15/64	.2344	3-7/8
344-012	1/4	.2500	4
344-013	17/64	.2656	4-1/8
344-014	9/32	.2812	4-1/4

Part #	DRILL DIAM.	DECI M	OVER ALL
344-015	19/64	.2969	4-3/8
344-016	5/16	.3125	4-1/2
344-017	21/64	.3281	4-5/8
344-018	11/32	.3438	4-3/4
344-019	23/64	.3594	4-7/8
344-020	3/8	.3750	5
344-021	25/64	.3906	5-1/8
344-022	13/32	.4062	5-1/4
344-023	27/64	.4219	5-3/8
344-024	7/16	.4375	5-1/2
344-025	29/64	.4531	5-5/8
344-026	15/32	.4688	5-3/4
344-027	31/64	.4844	5-7/8
344-028	1/2	.5000	6

Part #	SIZE	QTY
345-060	3/8	Ea
345-064	1/2	Ea
345-066	9/16	Ea
345-068	5/8	Ea
345-070	11/16	Ea
345-072	3/4	Ea

Hole Hog Set

Part #	SIZE	QTY
345-050	8 PC SET	Ea



Uni-Bit Step Drills



DRILLS TRUCK FRAMES IN MINUTES INSTEAD OF HOURS

- Drills up to 1/8" thick material
- Self starting

Part #	RANGE	QTY
345-120	1/4 – 3/4	Ea
345-122	3/16 – 7/8	Ea
345-125	9/16 - 1	Ea

Carbide Masonry Drills



Part #	DRILL DIAM.	OVERALL LENGTH	SHANK DIAMETER
346-210	1/8	3"	1/8
346-215	3/16	3-1/2"	3/16
346-220	1/4	4"	1/4
346-225	5/16	4"	1/4
346-230	3/8	4"	1/4
346-235	1/2	6"	3/8
346-240	5/8	6"	3/8
346-245	3/4	6"	1/2

Spiral-Broach Drills

1" Long



Part #	RANGE	QTY
346-530	1/2 X 1"	Ea
346-535	9/16 X 1"	Ea
345-540	5/8 X 1"	Ea
346-545	11/16 X 1"	Ea
346-550	3/4 X 1"	Ea
346-555	13/16 X 1"	Ea
346-560	7/8 X 1"	Ea
346-565	15/16 X 1"	Ea
346-570	1" X 1"	Ea
346-575	1-1/16 X 1	Ea
346-580	1-1/8 X 1	Ea



Drill Press

Knock-Out Pin

Part #	RANGE	QTY
346-520	1/4 PIN	Ea

Part #	QTY
346-505	Ea

T-Type Tap Wrench



Part #	FITS STANDARD TAPS	FITS MACHINE SCREW TAPS
347-202	1/16 TO 1/4	#0 TO 14
347-204	7/32 TO 1/2	312 to 14

Magna-Tap-Plus Hand Taps



Part #	SIZE
347-334	8-32 T
347-335	8-32 P
347-336	8-32 B
347-337	10-24 T
347-338	10-24 P
347-339	10-24 B

Part #	SIZE
347-340	10-32 T
347-341	10-32 P
347-342	10-32 B
347-343	12-24 T
347-344	12-24 P
347-346	12-24 B

Part #	SIZE
347-347	1/4-20 T
347-348	1/4-20 P
347-349	1/4-20 B
347-350	5/16-18 T
347-351	5/16 18-P
347-352	5/16-18 B
347-353	3/8-16 T
347-354	3/8-16 P
347-355	3/8-16 B
347-356	7/16-14 T
347-357	7/16-14 P
347-358	7/16-14 B

Part #	SIZE
347-447	1/4-28 T
347-448	1/4-28 P
347-449	1/4-28 B
347-450	5/16-24 T
347-451	5/16-24 P
347-452	5/16-24 B
347-453	3/8-24 T
347-454	3/8 24 P
347-455	3/8-24 B
347-456	7/16-20 T
347-457	7/16-20 P
347-458	7/16-20 B

Part #	SIZE
347-359	1/2-13 T
347-360	1/2-13 P
347-361	1/2-13 B
347-362	9/16-12 T
347-363	9/16-12 P
347-364	9/16-12 B
347-365	5/8-11 T
347-366	5/8-11 P
347-367	5/8-11 B
347-368	3/4-10 T
347-369	3/4-10 P
347-370	3/4-10 B
347-371	7/8-9 T
347-374	1-8 T

Part #	SIZE
347-459	1/2-20 T
347-460	1/2-20 P
347-461	1/2-20 B
347-462	9/16-18 T
347-463	9/16-18 P
347-464	9/16-18 B
347-465	5/8-18 T
347-466	5/8-18 P
347-467	5/8-18 B
347-468	3/4-16 T
347-469	3/4-16 P
347-470	3/4-16 B

347: Hand Taps

Magna-Tap-Plus 3 Piece Hand Tap Sets



INCLUDES

- 1 TAPER
- 1 PLUG
- 1 BOTTOM

Part #	SIZE
347-526	10-24
347-528	10-32
347-530	12-24

Part #	SIZE
347-532	1/4-20
347-534	5/16-18
347-536	3/8-16
347-538	7/16-14
347-540	1/2-13
347-542	9/16-12
347-544	5/8-11
347-546	3/4-10

Part #	SIZE
347-632	1/4-28
347-634	5/16-24
347-636	3/8-24
347-638	7/16-20
347-640	1/2-20
347-642	9/16-18
347-644	5/8-18
347-646	3/4-16

Magna-Tap-Plus Hand Pipe Taps



Part #	SIZE
347-720	1/8
347-722	1/4
347-724	3/8
347-726	1/2
347-728	3/4
347-730	1

Magna-Tap-Plus Metric Hand Taps - Plug



Part #	SIZE
347-754	4 - .7
347-756	5 - .8
347-758	6 - 1.0
347-762	8 - 1.25
347-764	8 - 1.00
347-766	10 - 1.25
347-770	10 - 1.50
347-774	12 - 1.75
347-778	14 - 2.00

Hex Die Holder



Part #	FITS STANDARD TAPS	FITS MACHINE SCREW TAPS	QTY
347-802	6-32 TO 1/2	UP TO 1"	Ea
347-804	5/8 TO 3/4	UP TO 1-1/2	Ea

Magna-Cut-Plus Hex Dies



Part #	SIZE	WIDTH ACROSS FLAT	QTY
348-816	10-24	1"	Ea
348-818	10-32	1"	Ea
348-820	1/4-20	1"	Ea
348-822	5/16-18	1"	Ea
348-824	3/8-16	1"	Ea
348-826	7/16-14	1"	Ea
348-828	1/2-13	1"	Ea
348-830	9/16-12	1"	Ea
348-834	5/8-11	1-7/16"	Ea
348-836	3/4-10	1-7/16"	Ea

Magna-Cut-Plus Hex Dies



Part #	SIZE	WIDTH ACROSS FLAT	QTY
348-860	1/4-28	1"	Ea
348-862	5/16-24	1"	Ea
348-864	3/8-24	1"	Ea
348-866	7/16-20	1"	Ea
348-868	1/2-20	1"	Ea
348-870	9/16-18	1"	Ea
348-874	5/8-18	1-7/16"	Ea
348-876	3/4-16	1-7/16"	Ea

Screw and Pipe Extractor



Part #	EXT #	TO REMOVE	SMALL END	LARGE END	LENGTH	DRILL SIZE
353-001	1	3/32 TO 5/32	.054	5/32	2	3/32
353-002	2	5/32 TO 7/32	.080	3/16	2-1/2	1/8
353-003	3	7/32 TO 9/32	1/8	1/4	3	3/16
353-004	4	9/32 TO 3/8 (1/8 pipe)	3/16	11/32	3	1/4
353-005	5	3/8 TO 5/8 (1/4 pipe)	15/64	7/16	3-3/8	17/64
353-007	7	5/8 TO 7/8 (3/8 pipe)	3/8	19/32	3-3/4	13/32
353-008	8					

Magna-Cut-Plus Left Hand Drills

Part #	DRILL DIAM.	DECIMAL
353-602	3/32	.0938
353-604	1/8	.1250
353-005	9/64	.1406
353-606	5/32	.1562
353-007	11/64	.1719
353-608	3/16	.1875
353-610	7/32	.2188
353-611	15/64	.2344
353-612	1/4	.2500
353-614	9/32	.2812
353-616	5/16	.3125
353-618	11/32	.3438
353-620	3/8	.3750
353-622	13/32	.4062
353-624	7/16	.4375
353-626	15/32	.4688
353-628	1/2	.5000



Magna-Tap-Plus 18 Pc Tap & Drill Set

Part #	QTY
354-500	Ea



10 Pc Extractor Set

Part #	QTY
354-620	Ea



General Cut Rotary Files



Part #	ITEM	QTY
355-025	1/4 X 5/8	Ea
355-027	3/8 X 3/4	Ea
355-029	1/2 X 1	Ea



Part #	ITEM	QTY
355-050	1/4 X 3/8	Ea
355-052	3/8 X 5/8	Ea
355-054	1/2 X 7/8	Ea



Part #	ITEM	QTY
355-070	1/4 X 5/8	Ea
355-072	3/8 X 3/4	Ea
355-074	1/2 X 1	Ea

Aluminum Cut Rotary Files



Part #	ITEM	QTY
355-120	1/4 X 5/8	Ea
355-125	3/8 X 3/4	Ea
355-130	1/2 X 1	Ea
355-135	5/8 X 1	Ea



Part #	ITEM	QTY
355-150	1/4 X 3/8	Ea
355-155	3/8 X 5/8	Ea
355-160	1/2 X 7/8	Ea



Part #	ITEM	QTY
355-180	1/4 X 5/8	Ea
355-185	3/8 X 3/4	Ea
355-190	1/2 X 1	Ea
355-195	5/8 X 1	Ea



Part #	ITEM	QTY
355-085	1/4 X 7/32	Ea
355-087	3/8 X 5/16	Ea
355-089	1/2 X 7/16	Ea



Air Saw Blades



Part #	TEETH	LENGTH	QTY	RECOMENDED USES
356-490	24	3"	10	METAL CUT
356-494	32	3"	10	METAL CUT

Bosch Blades



Part #	TEETH	LENGTH	QTY	RECOMENDED USES
356-510	12	3"	10	METAL CUT
356-514	18	3"	10	METAL CUT
356-518	24	3"	10	METAL CUT

Saber Blades



Part #	TEETH	LENGTH	QTY	RECOMENDED USES
356-524	24	3-1/8"	10	1/16" STEEL AND UNDER, THIN WALL TUBING, FORMICA
356-528	14	3-1/8"	10	1/8" TO 1/4" STEEL, NONFERROUS ALUMINUM, FIBERGLASS, PLASTIC

Saber Blades



Part #	TEETH	LENGTH	QTY	RECOMENDED USES
356-532	24	1-3/4"	10	THIN SHEET STEEL, THIN WALL TUBING, AND SCROLL WORK
356-536	18	3"	10	1/16" TO 1/8" STEEL, CONDUIT, PLASTIC, TUBING ETC.

Saber Blades



Part #	TEETH	LENGTH	QTY	RECOMENDED USES
356-550	24	3"	10	THIN SHEET METAL, SCROLL CUTTING
356-554	14	3-5/8"	10	HEAVY GAUGE METAL, FIBERGLASS, MASONITE, SCROLL CUTTING

Saber Blades



Part #	TEETH	LENGTH	QTY	RECOMENDED USES
356-562	18	6"	5	HEAVY GAUGE SHEET METAL, CONDUIT PIPE, TUBING, THIN FIBERGLASS
356-566	18	8"	5	
356-570	14/10	8"	5	HEAVY GAUGE METAL, COMPOSIT, MASONITE, WOOD ETC
356-574	14/10	12"	5	
356-578	14	6"	5	FOR METAL HEAVIER THAN 1/8", BAR STOCK, ANGLES, ETC, ALSO RUBBER, MASONITE, FIBERGLASS, ETC.

Saber Blades



Part #	TEETH	LENGTH	QTY	RECOMENDED USES
356-588	6	6"	5	FOR WOOD AND NAIL EMBED WOODS, ALL COMPOSTION MATERIALS, ALSO NON-FERROUS METALS

Saber Blades



Part #	TEETH	LENGTH	QTY	RECOMENDED USES
356-592	6	9"	5	GENERAL ROUGHING-IN WORK IN WOOD AND NAIL-EMBEDDED WOODS. FAST CUTTING
356-596	6	12"	5	

Hacksaw Frame



Part #	QTY
356-730	Ea



Hacksaw Blades

Part #	SIZE	QTY
356-755	12" X 24T	Ea



Industrial Hole Saw Kit

Part #	QTY
358-101	Ea



Bi-Metal Hole Saw Maintenance Kit 13 Pieces Includes:

Hole Saws: 3/4, 7/8, 1 1/8, 1 3/8, 1 1/2, 1 3/4, 2, 2 1/4, 2 1/2" Arbors: M24K, M44, M45P, and 12" extension

Part #	QTY
358-102	Ea



Bi-Metal Hole Saw Maintenance Kit 18 Pieces Includes:

20, 25 mm, 1.1/8", 1.1/2", 1.3/4", 2", 2.1/4", 2.1/2", 3", 3.1/4", 3.5/8", 3.3/4", 4.1/4", 4.1/2". Also M24K, M44, M45P arbors and 12" extension.

Arbor With Pilot Bit



Part #	SIZE	FIT HOLE SAWS
358-122	1/4" ROUND	9/16 - 1-3/16
358-125	7/16 HEX	9/16 - 1-3/16
358-127	7/16 HEX	1-1/4 - 6"
358-105	REPLACEMENT DRILL	Ea



Bi-Metal Hole Saws

Part #	SIZE
358-136	5/8
358-138	11/16
358-140	3/4
358-144	7/8
358-148	1
358-149	1-1/16
358-152	1-1/8
358-156	1-1/4
358-160	1-5/16
358-164	1-3/8
358-168	1-1/2
358-172	1-5/8
358-176	1-3/4
358-180	1-7/8
358-184	2

Part #	SIZE
358-188	2-1/8
358-192	2-1/4
358-196	2-3/8
358-200	2-1/2
358-201	2-5/8
358-204	2-3/4
358-206	2-7/8
358-208	3
358-210	3-1/8
358-211	3-1/4
358-212	3-1/2
358-214	3-3/4
358-216	4
358-220	4-1/2

